

Mobile stages

Stagemobil S

Stage floor

| | |
|---------------|----------------------|
| Width x Depth | 4.40m x 3.75m |
| Surface | 16.5m ² |
| Floor height | ≈ 0.8m |
| Resistance | 300kg/m ² |

Roof

| | |
|---------------|---------------|
| Width x Depth | 4.40m x 3.75m |
| Capacity | 400kg |
| Clearance | 3.6m |

Setup

| | |
|------------------|-----------|
| Stage technician | 1 person |
| Estimated setup | 1-2 hours |

Stagemobil L

Stage floor

| | |
|---------------|----------------------|
| Width x Depth | 6.80m x 6.30m |
| Surface | 42m ² |
| Floor height | ≈ 1.0m – 1.2m |
| Resistance | 300kg/m ² |

Roof

| | |
|---------------------|---------------|
| Width x Depth | 6.80m x 4.40m |
| Capacity | 200kg |
| Clearance | 3.5m |
| Optional sound wing | 2 x 300kg |

Setup

| | |
|------------------|-----------|
| Stage technician | 1 person |
| Stage hands | 1 person |
| Estimated setup | 1-2 hours |

Stagemobil XLR

Stage floor

| | |
|---------------|----------------------|
| Width x Depth | 9.0m x 6.1m |
| Surface | 55m ² |
| Floor height | ≈ 1.1m – 1.3m |
| Resistance | 300kg/m ² |

Roof

| | |
|---------------------|-------------|
| Width x Depth | 9.0m x 6.1m |
| Capacity | 880kg |
| Clearance | 3.8m – 4.6m |
| Optional sound wing | 2 x 500kg |

Setup

| | |
|------------------|-----------|
| Stage technician | 1 person |
| Stage hands | 2 persons |
| Estimated setup | 1-2 hours |

Stagemobil XXL

Stage floor

| | |
|---------------|----------------------|
| Width x Depth | 10.00m x 6.10m |
| Surface | 61m ² |
| Floor height | ≈ 1.1m – 1.3m |
| Resistance | 300kg/m ² |

Roof

| | |
|----------------------|---------------|
| Width x Depth | 10.0m x 6.1m |
| Capacity | 900kg |
| Clearance | 4.0m – 4.6m |
| Optional sound wings | 2 x 270/500kg |

Setup

| | |
|------------------|-----------|
| Stage technician | 1 person |
| Stage hands | 2 persons |
| Estimated setup | 1-2 hours |

Mobile stages

Alphastage 160

Stage floor

| | |
|---------------|----------------------|
| Width x Depth | 13.20m x 11.20m |
| Surface | 147m ² |
| Floor height | ≈ 1.5m – 1.95m |
| Resistance | 500kg/m ² |

Roof

| | |
|---------------|----------------------|
| Width x Depth | 13.60m x 11.50m |
| Capacity | 10.5t equally spread |
| Clearance | 8.0m |
| Sound wing | 2 x 1.5t |

Setup

| | |
|------------------|-----------|
| Stage technician | 2 persons |
| Stage hands | 4 persons |
| Estimated setup | 4-6 hours |

Alphastage 160 production areas

Specifications (per production area)

| | |
|---------------|----------------------|
| Width x Depth | 9.60m x 4.80m |
| Surface | 46m ² |
| Floor height | Follows main stage |
| Resistance | 500kg/m ² |

Roof

| | |
|-----------------|-------|
| Clearance front | 3.20m |
| Clearance back | 2.35m |

Setup

| | |
|---|-----------|
| Estimated setup in addition to main stage | 2-4 hours |
|---|-----------|

Stage floor

Nivtec

| | |
|------------|----------------------|
| Brand | Nivtec |
| Resistance | 750kg/m ² |

Primarily for indoor use and on flat foundation. Nivtec modules comes in a variety of shapes and sizes and can be built after your needs. Good solutions for stairs and railings.

Nordic

| | |
|------------|------------------------|
| Brand | Nordic Staging Systems |
| Resistance | 750kg/m ² |

Works great for both in- and outdoor builds. The systems is very flexible when it comes to varying foundation. Good solutions for stairs and railings.

FOH solutions

FOH HOF

Floor

| | |
|---------------|----------------------|
| Width x Depth | 4.00m x 4.00m |
| Surface | 16m ² |
| Floor height | 0.2m – 1.0m |
| Resistance | 750kg/m ² |

Roof

| | |
|-----------|-----------------|
| Height | 3.32m |
| Clearance | 2.46m |
| Capacity | No load in roof |

Other

| | |
|--------|-------|
| Weight | 150kg |
|--------|-------|

Setup

| | |
|-----------------|-----------|
| Stage hands | 2 persons |
| Estimated setup | 30 mins |

FOH Nordic

Floor

| | |
|----------------------------------|--|
| Width x Depth | 4.80m x 4.80m |
| Surface | 46m ² (2 x 23m ²) |
| Resistance ground floor | 500kg/m ² |
| Resistance 2 nd floor | 100kg/m ² |

Roof

| | |
|---------------------------------|-----------------|
| Height front/back | 6.0m / 5.1m |
| Clearance ground floor | 2.2m |
| Clearance 2 nd floor | 2.0m – 2.7m |
| Capacity | No load in roof |

Other

| | |
|------------------|------|
| Need for ballast | ≈ 2t |
|------------------|------|

Setup

| | |
|------------------|-----------|
| Stage technician | 2 persons |
| Stage hands | 2 persons |
| Estimated setup | 2-3 hours |
